alternatives are considered for managing solid waste.

## FOR FURTHER INFORMATION CONTACT:

Questions, comments, or requests for copies of the FEIS should be addressed to Mr. Randall W. Hanna at (206) 967–5646; or by writing to: Commander, Headquarters I Corps and Fort Lewis, ATTN: AFZHDEQ (Mr. Randall Hanna), Fort Lewis, Washington 98433–5000.

**DATES:** Comments on the FEIS should be received by June 12, 1995 to ensure due consideration.

# SUPPLEMENTARY INFORMATION:

Alternatives considered: Alternative 1recycle 35% of the annual municipal solid waste (MSW); complete construction of a heat-recovery incinerator; and construct and dispose of incinerator ash in an on-site ash cell. Alternative 2 (Preferred Alternative)recycle 50% of the annual MSW; complete construction of a heatrecovery incinerator; and dispose of the incinerator ash off site. Alternative 3 Demolish and salvage incinerator; increase recycling of annual MSW to 35% or greater; dispose of all nonrecycled MSW in on-site landfill. Alternative 4 (No Action)—demolish and salvage incinerator; recycle 25% of the annual MSW; dispose of all nonrecycled MSW in on-site landfill cells. Steam and hot water produced as a byproduct of the incinerator would be utilized to augment the existing Fort Lewis heating system.

The incinerator would enable Fort Lewis to retire two existing boiler plants that supply high temperature hot water heat, thereby conserving fossil fuel and heating costs. Also, Fort Lewis would retire one incinerator used to destroy classified documents and procedural waste from Madigan Army Medical Center. Operation of the incinerator would extend the life of the Fort Lewis landfill by about 25 year.

# Gregory D. Showalter,

Army Federal Register Liaison Officer. [FR Doc. 95–11640 Filed 5–10–95; 8:45 am] BILLING CODE 3710–08–M

# Availability of U.S. Patents for Licensing

AGENCY: U.S. Army Research Laboratory, Physical Sciences Directorate, and U.S. Army Communications-Electronics Command. ACTION: Notice of availability.

**SUMMARY:** In accordance with 37 CFR 404.6 announcement is made of the availability of the following U.S. patents for non-exclusive, exclusive or partially exclusive licensing. All of the listed

patents have been assigned to the United States of America as represented by the Secretary of the Army, Washington, D.C.

These patents cover a wide variety of technical arts including permanent magnet designs for various applications, power sources, phased array antennae, microstrip devices and applications, varying types resonators and oscillators for different applications, as well as many other different technical arts.

Under the authority of section 11(a)(2) of the Federal Technology Transfer Act of 1986 (Public Law 99–502) and Section 207 of Title 35, United States Code, the Department of the Army as represented by the Army Research Laboratory, Physical Sciences Directorate, and the Communications-Electronics Command wish to license the U.S. patents listed below in a non-exclusive, exclusive or partially exclusive manner to any party interested in manufacturing, using, and/or selling devices or processes covered by these patents.

TITLE: MICROSTRIP FERRITE CIRCULATOR FOR SUBSTRATE TRANSITIONING

INVENTOR(S): Richard A. Stern, Richard W. Babbitt

PATENT NO: 5,177,456—Issued 01/05/93

TITLE: OPTICALLY ACTIVATED HYBRID PULSER WITH PATTERNED RADIATING ELEMENT

INVENTOR(S): Anderson H. Kim, Maurice Weiner, Louis J. Jasper, Jr., Thomas E. Koscica, Robert J. Youmans

PATENT NO: 5,177,486—Issued 01/05/93

TITLE: MICROSTRIP HIGH REVERSE LOSS ISOLATOR

INVENTOR(S): Richard A. Stern, Richard W. Babbitt

PATENT NO: 5,180,997—Issued 01/05/93

TITLE: SLOTTED MICROSTRIP ELECTRONIC SCAN ANTENNA INVENTOR(S): Richard A. Stern, Richard W. Babbitt

PATENT NO: 5,189,433—Issued 02/23/93

TITLE: WIDE-RANGE MULTICOLOR IR DETECTOR

INVENTOR(S): Doran D. Smith, Mitra Dutta, Kwong-Kit Choi

PATENT NO: 5,198,659—Issued 03/30/93

TITLE: OPTICAL MODULATOR BASED ON GAMMA-X VALLEY MIXING IN GAAS-ALAS

INVENTOR(S): Mitra Dutta

PATENT NO: 5,208,695—Issued 05/04/ 93 TITLE: PLANAR FERRO-ELECTRIC PHASE

INVENTOR(S): Richard W. Babbitt, William C. Drach, Thomas E. Koscica PATENT NO: 5,212,463—Issued 05/18/ 93

TITLE: COLOR NIGHT VISION CAMERA SYSTEM

INVENTOR(S): Yue T. Chiu, Philip F. Krzyzkowski, Richard P. Tuttle PATENT NO: 5,214,503—Issued 05/25/

93

TITLE: QUARTER WAVE HIGH VOLTAGE DC BLOCK COVERED WITH A POLYURETHANE INSULATING LAYER

INVENTOR(S): Richard W. Babbitt, William C. Drach, Thomas E. Koscica PATENT NO: 5,216,395—Issued 06/01/ 93

TITLE: MAGNETIC FIELD SOURCES FOR PRODUCING HIGH- INTENSITY VARIABLE FIELDS

INVENTOR(S): Herbert A. Leupold PATENT NO: 5,216,400—Issued 06/01/ 93

TITLE: MAGNETIC FIELD SOURCES HAVING NON-DISTORTING ACCESS PORTS

INVENTOR(S): Herbert A. Leupold PATENT NO: 5,216,401—Issued 06/01/ 93

TITLE: METHOD OF TREATING A
GALLIUM ARSENIDE SURFACE
AND GALLIUM ARSENIDE
SURFACE SO TREATED
INVENTOR(S): Gary J. Gerardi, Edward

H. Poindexter, Fang Rong PATENT NO: 5,219,797—Issued 06/15/

TITLE: OPTICALLY CONTROLLED RESONANT TUNNEL DIODE OSCILLATOR

INVENTOR(S): James F. Harvey, Robert A. Lux, Thomas P. Higgins, Arthur Paolella, Dana J. Sturzebecher

PATENT NO: 5,223,802—Issued 06/29/ 93

TITLE: ANTI-EXPLOITATION
METHOD AND APPARATUS FOR
CONTROLLING AIRCRAFT IFF
INVENTOR(S): Sidney J. Grossman
PATENT NO: 5,223,837—Issued 06/29/

TITLE: RADAR IDENTIFICATION INVENTOR(S): Sidney J. Grossman PATENT NO: 5,223,839—Issued 06/29/ 93

TITLE: ULTRA-WIDEBAND HIGH POWER PHOTON-TRIGGERED FREQUENCY INDEPENDENT RADIATOR

INVENTOR(S): Anderson H. Kim, Leo D. DiDomenico, Maurice Weiner, Louis J. Jasper, Jr., Robert J. Youmans, Thomas E. Koscica

PATENT NO: 5,227,621—Issued 07/13/ 93

- TITLE: LOW-COST, LOW-NOISE, TEMPERATURE-STABLE, TUNABLE DIELECTRIC RESONATOR OCILLATOR
- INVENTOR(S): Muhammad A. Mizan, Raymond C. McGowan
- PATĚNT NO: 5,233,319—Issued 08/03/
- TITLE: FLEXIBLE SOLID
  ELECTROLYTE FOR USE IN SOLID
  STATE CELLS AND SOLID STATE
  CELL INCLUDING SAID FLEXIBLE
  SOLID ELECTROLYTE
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO: 5,238,759—Issued 08/24/ 93
- TITLE: SAW TRANSDUCER WITH COPLANAR WAVEGUIDE TRANSITION
- INVENTOR(S): Elio A. Mariani PATENT NO: 5,239,517—Issued 08/24/ 93
- TITLE: FREQUENCY HOPPING SIGNAL INTERCEPTOR
- INVENTOR(S): Charles E. Konig PATENT NO: 5,239,555—Issued 08/24/ 93
- TITLE: MICROSTRIP ELECTRONIC SCAN ANTENNA ARRAY
- INVENTOR(S): Richard A. Stern and Richard W. Babbitt
- PATENT NO: 5,243,354—Issued 09/07/93
- TITLE: PERIODIC PERMANENT MAGNET STRUCTURE FOR ACCELERATING CHARGED PARTICLES
- INVENTOR(S): Herbert A. Leupold PATENT NO: 5,245,621—Issued 09/14/ 93
- TITLE: DETECTION AND CHARACTERIZATION OF LPI SIGNALS
- INVENTOR(S): Charles E. Konig PATENT NO: 5,247,308—Issued 09/21/ 93
- TITLE: METHOD AND APPARATUS FOR GROWING SEMICONDUCTORS HETEROSTRUCTURES
- INVENTOR(S): Kenneth A. Jones, Joseph R. Flemish, Alok Tripathi, Vladimir S. Ban
- PATENT NO: 5,254,210—Issued 10/19/
- TITLE: FABRICATION TECHNIQUE FOR SILICON MICROCLUSTERS USING PULSED ELECTRICAL POWER
- INVENTOR(S): Clarence G. Thornton, James F. Harvey, Robert A. Lux, Robert J. Zeto, Hardev Singh, Maurice Weiner, Terence Burke, Lawrence E. Kingsley
- PATENT NO: 5,256,339—Issued 10/26/93
- TITLE: METHOD OF GROWING DEVICE QUALITY INP ONTO AN

- INP SUBSTRATE USING AN ORGANOMETALLIC PRECURSOR IN A HOT WALL REACTOR
- INVENTOR(S): Joseph R. Flemish, Kenneth A. Jones, Vladimir S. Ban
- PATENT NO: 5,256,595—Issued 10/26/ 93
- TITLE: CIRCUIT FOR ACCURATELY MEASURING PHASE
- RELATIONSHIP OF BPSK SIGNALS INVENTOR(S): William J. Skudera, Jr., Vasilios Alevizakos
- PATENT NO: 5,257,284—Issued 10/26/
- TITLE: DC POWER SUPPLY
- INVENTOR(S): Raymond J. Pizzi, John M. O'Meara
- PATENT NO: 5,258,701—Issued 11/02/ 93
- TITLE: MICROSTRIP TRANSMISSION LINE SUBSTRATE TO SUBSTRATE TRANSITION
- INVENTOR(S): Richard A. Stern, Richard W. Babbitt
- PATENT NO: 5,258,730—Issued 11/02/93
- TITLE: REAL-DATA FFT BUFFER INVENTOR(S): Robert R. Leyendecker PATENT NO: 5,260,613—Issued 11/09/ 93
- TITLE: OPTICALLY ACTIVATED WAFER-SCALE PULSER WITH ALGAAS EPITAXIAL LAYER
- INVENTOR(S): Anderson H. Kim, Robert J. Youmans, Maurice Weiner, Robert J. Zeto, Louis J. Jasper, Jr.
- PATENT NO: 5,262,657—Issued 11/16/ 93
- TITLE: METHOD OF MAKING A FLEXIBLE SOLID ELECTROLYTE FOR USE IN SOLID STATE CELLS
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO: 5,264,308—Issued 11/23/
- TITLE: METAL-ENCAPSULATED QUANTUM WIRE FOR ENHANCED CHARGE TRANSPORT
- INVENTOR(S): Mitra Dutta, Harold L. Grubin, Gerald J. Iafrate, Ki Wook Kim, Michael A. Stroscio
- PATENT NO: 5,264,711—Issued 11/23/93
- TITLE: IONICALLY CONDUCTIVE BILAYER SOLID ELECTROLYTE AND ELECTROCHEMICAL CELL INCLUDING THE ELECTROLYTE
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO: 5,273,846—Issued 12/28/ 93
- TITLE: SOLID STATE ELECTROLYTE FOR USE IN A HIGH TEMPERATURE RECHARGEABLE LITHIUM ELECTROCHEMICAL CELL AND HIGH TEMPERATURE RECHARGEABLE LITHIUM

- ELECTROCHEMICAL CELL INCLUDING THE SOLID STATE ELECTROLYTE
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO: 5,273,847—Issued 12/28/ 93
- TITLE: OPTIC MODULATOR WITH UNIAXIAL STRESS
- INVENTOR(S): Mitra Dutta, Hongen Shen, Jagadeesh Pamulapati
- PATENT NO: 5,274,247—Issued 12/28/93
- TITLE: HOLLOW CYLINDRICAL MAGNETIC FLUX SOURCE FOR IMAGE DETECTORS
- INVENTOR(S): Herbert A. Leupold PATENT NO: 5,274,309—Issued 12/28/ 93
- TITLE: THERMAL CELL INCLUDING A SOLID STATE ELECTROLYTE
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO.: 5,278,004—Issued 01/11/
- TITLE: QUANTUM COLLECTOR HOT-ELECTRON TRANSISTOR
- INVENTOR(S): Kwong-Kit Choi PATENT NO.: 5,278,427—Issued 01/11/
- TITLE: SIGNAL AMPLIFICATION USING OPTICALLY ACTIVATED BULK SEMI-INSULATING GAAS
- INVENTOR(S): Anderson H. Kim, Maurice Weiner, Robert J. Youmans, Robert A. Pastore, Jr.
- PATENT NO.: 5,278,854—Issued 01/11/
- TITLE: TAPERED RADIAL
  TRANSMISSION LINE FOR AN
  OPTICALLY ACTIVATED HYBRID
  PULSER
- INVENTOR(S): Anderson H. Kim, Maurice Weiner, Louis J. Jasper, Jr., Robert J. Youmans
- PATENT NO.: 5,280,168—Issued 01/18/94
- TITLE: PERMANENT MAGNET STRUCTURE FOR USE IN ELECTRIC MACHINERY
- INVENTOR(S): Herbert A. Leupold, Ernest Potenziani, II
- PATENT NO.: 5,280,209—Issued 01/18/94
- TITLE: CIRCULAR POLARIZATION SELECTIVE SURFACE MADE OF RESONANT SPIRALS
- INVENTOR(S): Gilbert A. Morin PATENT NO.: 5,280,298—Issued 01/18/ 94
- TITLE: HIGH POWER PHOTON
  TRIGGERED ULTRA-WIDEBAND RF
  RADIATOR WITH OPPOSITE
  APERTURES
- INVENTOR(S): Anderson H. Kim, Maurice Weiner, Louis J. Jasper, Jr., Robert J. Youmans

- PATENT NO.: 5,283,584—Issued 02/01/94
- TITLE: UNIDIRECTIONAL SURFACE ACOUSTIC WAVE TRANSDUCER INVENTOR(S): Elio A. Mariani PATENT NO.: 5,289,073—Issued 02/22/
- TITLE: ALGAAS/GAAS THYRISTOR INVENTOR(S): Terence Burke, Maurice Weiner, Jian H. Zhao
- PATENT NO.: 5,291,041—Issued 03/01/
- TITLE: TRANSITION DETECTION CIRCUIT FOR PSK SIGNALS USING THE SAW CHIRP-Z ALGORITHM
- INVENTOR(S): William J. Skudera, Jr., Charles E. Konig
- PATENT NO.: 5,295,151—Issued 03/15/94
- TITLE: METHOD OF PREPARING AN IMPREGNATED CATHODE WITH AN ENHANCED THERMIONIC EMISSION FROM A POROUS BILLET AND CATHODE SO PREPARED
- INVENTOR(S): Louis E. Branovich, Donald W. Eckart
- PATENT NO.: 5,298,830—Issued 03/29/94
- TITLE: HIGHLY CONDUCTIVE
  ELECTROLYTE FOR USE IN AN
  AMBIENT TEMPERATURE
  RECHARGEABLE LITHIUM
  BATTERY AND AMBIENT
  TEMPERATURE RECHARGEABLE
  LITHIUM BATTERY INCLUDING
  SAID ELECTROLYTE
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO.: 5,300,376—Issued 04/05/
- TITLE: ABNORMAL BATTERY CELL VOLTAGE DETECTION CIRCUITRY INVENTOR(S): Lawrence R. Groehl PATENT NO.: 5,302,902—Issued 04/12/ 94
- TITLE: SUBHARMONIC OPTICALLY INJECTION LOCKED OSCILLATOR INVENTOR(S): Dana J. Sturzebecher,
- Thomas P. Higgins, Afshin S. Daryoush
- PATENT NO.: 5,302,918—Issued 04/12/ 94
- TITLE: METHOD FOR MIXING OPTICAL AND MICROWAVE SIGNALS USING A GAAS MESFET
- INVENTOR(S): Steven A. Malone, Arthur C. Paolella
- PATENT NO.: 5,304,794—Issued 04/19/ 94
- TITLE: CAPACITOR WITH INCREASED ELECTRICAL BREAKDOWN STRENGTH AND METHOD OF FORMING THE SAME
- INVENTOR(S): Michael Binder, Robert J. Mammone, Bernard Lavene
- PATENT NO.: 5,305,178—Issued 04/19/94

- TITLE: PLANAR DIGITAL FERROELECTRIC PHASE SHIFTER INVENTOR(S): Thomas E. Koscica,
- Richard W. Babbitt, William C. Drach PATENT NO.: 5,307,033—Issued 04/26/ 94
- TITLE: HIGH-POWER ELECTRICAL MACHINERY
- INVENTOR(S): Herbert A. Leupold, John T. Rehberg
- PATENT NO.: 5,309,055—Issued 05/03/ 94
- TITLE: SUPERCONDUCTING RING RESONATOR MICROWAVE OSCILLATOR FOR OPERATING AS A REMOTE TEMPERATURE SENSOR
- INVENTOR(S): Roland Cadotte, Jr., Michael Cummings, Adam Rachlin, Richard W. Babbitt
- PATENT NO.: 5,309,117—Issued 05/03/94
- TITLE: PLANAR TUNABLE YIG FILTER INVENTOR(S): Elio A. Mariani PATENT NO.: 5,309,127—Issued 05/03/94
- TITLE: HIGH TEMPERATURE, RECHARGEABLE SOLID ELECTROLYTE ELECTROCHEMICAL CELL
- INVENTOR(S): Edward J. Plichta, Wishvender K. Behl
- PATENT NO.: 5,312,623—Issued 05/17/94
- TITLE: ELECTRONICALLY CONTROLLED FREQUENCY AGILE IMPULSE DEVICE
- INVENTOR(S): Anderson H. Kim, Maurice Weiner, Louis J. Jasper, Jr., Robert J. Youmans, Lawrence E. Kingsley
- PATENT NO.: 5,313,056—Issued 05/17/94
- TITLE: SWEEP JAMMER IDENTIFICATION PROCESS
- INVENTOR(S): Paul A. Michaels, Jr., Ralph J. Romano, Francis Giordano
- PATENT NO.: 5,313,209—Issued 05/17/
- TITLE: HIGH POWER ELECTRICAL MACHINERY WITH TOROIDAL PERMANENT MAGNETS
- INVENTOR(S): Herbert A. Leupold PATENT NO.: 5,317,228—Issued 05/31/ 94
- TITLE: SITUATION AWARENESS DISPLAY DEVICE
- INVENTOR(S): Paul F. Sass
- PATENT NO.: 5,317,321—Issued 05/31/94
- TITLE: PULSE SHARPENING USING AN OPTICAL PULSE
- INVENTOR(S): Anderson H. Kim, Maurice Weiner, Louis J. Jasper, Jr., Robert J. Youmans
- PATENT NO.: 5,319,218—Issued 06/07/94

- TITLE: TUBULAR STRUCTURE HAVING TRANSVERSE MAGNETIC FIELD WITH GRADIENT
- INVENTOR(S): Herbert A. Leupold PATENT NO.: 5,319,339—Issued 06/07/ 94
- TITLE: BI-CHAMBERED MAGNETIC IGLOO
- INVENTOR(S): Herbert A. Leupold PATENT NO.: 5,319,340—Issued 06/07/ 94
- TITLE: MULTI-BAND MICROSTRIP ANTENNA
- INVENTOR(S): Vahakn Nalbandian, Choon S. Lee
- PATENT NO.: 5,319,378—Issued 06/07/94
- TITLE: CIRCUIT FOR MEASURING CAPACITANCE AT HIGH DC BIAS VOLTAGE
- INVENTOR(S): Thomas E. Koscica, Richard W. Babbitt
- PATENT NO.: 5,321,367—Issued 06/14/
- TITLE: ALL OPTICAL MULTIPLE QUANTUM WELL OPTICAL MODULATOR
- INVENTOR(S): Mitra Dutta, Hongen
- PATENT NO.: 5,323,019—Issued 06/21/94
- TITLE: FIELD EFFECT REAL SPACE TRANSISTOR
- INVENTOR(S): Thomas E. Koscica, Jian H. Zhao
- PATENT NO.: 5,323,030—Issued 06/21/94
- TITLE: DUAL-CHANNEL FLEXURAL ACOUSTIC WAVE CHEMICAL SENSOR
- INVENTOR(S): Raymond C. McGowan, Elio A. Mariani
- PATENT NO.: 5,323,636—Issued 06/28/94
- TITLE: LIGHT EMITTING DIODE WITH ELECTRO-CHEMICALLY ETCHED POROUS SILICON
- INVENTOR(S): Michael F. Tompsett, Raphael Tsu
- PATENT NO.: 5,324,965—Issued 06/28/
- TITLE: MULTICOLOR PHOTODETECTOR
- INVENTOR(S): Kwong-Kit Choi
- PATENT NO.: RE34,649—Issued 06/28/94
- TITLE: SURFACE ACOUSTIC WAVE (SAW) CHEMICAL MULTI-SENSOR ARRAY
- INVENTOR(S): Elio A. Mariani and William J. Skudera, Jr.
- PATENT NO.: 5,325,704—Issued 07/05/
- TITLE: TREATED POROUS CARBON BLACK CATHODE AND LITHIUM BASED, NONAQUEOUS ELECTROLYTE CELL INCLUDING SAID TREATED CATHODE

- INVENTOR(S): Michael Binder, Robert J. Mammone, William L. Wade, Jr.
- PATENT NO.: 5,328,782—Issued 07/12/ 94
- TITLE: MICROWAVE FERROELECTRIC PHASE SHIFTERS AND METHODS FOR FABRICATING
- INVENTOR(S): Richard W. Babbitt, Thomas E. Koscica, William C. Drach
- PATENT NO.: 5,334,958—Issued 08/02/ 94
- TITLE: METHOD OF MAKING CYLINDRICAL AND SPHERICAL PERMANENT MAGNET STRUCTURES
- INVENTOR(S): Herbert A. Leupold, George F. McLane
- PATENT NO.: 5,337,472—Issued 08/16/94
- TITLE: MAGNETIC FLUX-ENHANCED CONTROL LINE FOR SUPER-CONDUCTING FLUX FLOW TRANSISTOR
- INVENTOR(S): William Wilber, Roland Cadotte, Jr., Adam Rachlin, Michael Cummings
- PATENT NO.: 5,338,94—Issued 08/16/ 94
- TITLE: X-BAND BIPOLAR JUNCTION TRANSISTOR AMPLIFIER
- INVENTOR(S): Muhammad A. Mizan, Raymond C. McGowan
- PATENT NO.: 5,339,047—Issued 08/16/
- TITLE: INSTANT-ON MICROWAVE OSCILLATORS USING RESONANT TUNNELING DIODE
- INVENTOR(S): Robert A. Lux, Thomas E. Koscica, James F. Harvey
- PATENT NO.: 5,339,053—Issued 08/16/94
- TITLE: HIGH CRITICAL
  TEMPERATURE SUPERCONDUCTOR
  (HTSC) INCLUDING A RARE EARTH
  ALKALI METAL TITANATE AS AN
  OXYGEN DIFFUSION BARRIER IN
  THE DEVICE
- INVENTOR(S): Arthur Tauber, Steven C. Tidrow
- PATENT NO.: 5,340,799—Issued 08/23/94
- TITLE: METHOD OF MAKING A
  SELECTIVE COMPOSITIONAL
  DISORDERING OF A GAAS BASED
  HETEROSTRUCTURE BY THE INDIFFUSION OF AU THROUGH A
  SINGLE CRYSTAL, EPITAXIALLY
  GROWN GE FILM
- INVENTOR(S): Kenneth A. Jones, Howard S. Lee
- PATENT NO.: 5,346,856—Issued 09/13/94
- TITLE: MULTITERMINAL LATERAL S-SHAPED NEGATIVE DIFFERENTIAL CONDUCTANCE DEVICE
- INVENTOR(S): Martin N. Wybourne, Doran D. Smith, Stephen M.

- Goodnick, Jong-Ching Wu Chris Berven
- PATENT NO.: 5,347,141—Issued 09/13/94
- TITLE: MODES OF INFRARED HOT ELECTRON TRANSISTOR OPERATION IN INFRARED DETECTION
- INVENTOR(S): Kwong-Kit Choi PATENT NO.: 5,347,142—Issued 09/13/ 94
- TITLE: OPTICALLY CONTROLLED OSCILLATOR
- INVENTOR(S): Thomas P. Higgins, Dana J. Sturzebecher
- PATENT NO.: 5,347,235—Issued 09/13/94
- TITLE: TUBULAR STRUCTURE
  HAVING TRANSVERSE MAGNETIC
  FIELD WITH GRADIENT
- INVENTOR(S): Herbert A. Leupold PATENT NO.: 5,347,254—Issued 09/13/ 94
- TITLE: PERMANENT MAGNET STRUCTURE FOR USE IN ELECTRIC MACHINERY
- INVENTORS(S): Herbert A. Leupold, Ernest Potenziani. II
- PATENT NO.: 5,349,258—Issued 09/20/94
- TITLE: DOUBLE BARRIER RESONANT PROPAGATION FILTER
- INVENTORS(S): James F. Harvey, Robert A. Lux
- PATENT NO.: 5,350,931—Issued 09/27/94
- TITLE: ULTRA-WIDEBAND HIGH POWER PHOTON TRIGGERED FREQUENCY INDEPENDENT RADIATOR WITH EQUIANGULAR SPIRAL ANTENNA
- INVENTORS(S): Anderson H. Kim, Leo D. DiDomenico, Maurice Weiner, Louis J. Jasper, Jr., Robert J. Youmans
- PATENT NO.: 5,351,063—Issued 09/27/94
- TITLE: APPARATUS FOR REAL TIME INTERFERENCE SIGNAL REJECTION INVENTORS(S): Stuart D. Albert, William J. Skudera. Jr.
- PATENT NO.: 5,355,091—Issued 10/11/94
- TITLE: TREATED SOLID POLYMER ELECTROLYTE MEMBRANE FOR USE IN A FUEL CELL AND FUEL CELL INCLUDING THE TREATED SOLID POLYMER ELECTROLYTE MEMBRANE
- INVENTORS(S): Michael Binder, Robert J. Mammone
- PATENT NO.: 5,372,896—Issued 12/13/
- TITLE: UNIVERSAL INEXPENSIVE BATTERY STATE-OF-CHARGE INDICATOR
- INVENTORS(S): Terrill Atwater, Richard M. Dratler

- PATENT NO.: 5,372,898—Issued 12/13/94
- TITLE: DIRECT OPTICAL INJECTION LOCKED FET OSCILLATOR
- INVENTORS(S): Thomas P. Higgins, Dana J. Sturzebecher, Arthur Paolella PATENT NO.: 5,373,261—Issued 12/13/
- TITLE: MICROSTRIP DIRECTIONAL COUPLER
- INVENTORS(S): Erik H. Lenzing, Roland Cadotte, Jr., Michael Cummings
- PATENT NO.: 5,373,266—Issued 12/13/
- TITLE: QUANTUM WELL PHONON MODULATOR
- INVENTORS(S): Mitra Dutta, Gerald J. Iafrate, Ki W. Kim, Michael A. Stroscio
- PATENT NO.: 5,374,831—Issued 12/20/ 94
- TITLE: SIGNAL MIXING DEVICE UTILIZING A SUPERCONDUCTING STRIP LINE WITH SUPERCONDUCTING WEAK LINKS AND TWO CONTROL LINES
- INVENTORS(S): Michael Cummings, Roland Cadotte, Jr., Adam Rachlin, Richard W. Babbitt
- PATENT NO.: 5,378,94—Issued 01/03/95
- TITLE: UNIAXIALLY STRAINED SEMICONDUCTOR MULTIPLE QUANTUM WELL DEVICE USING DIRECTION-DEPENDENT THERMAL EXPANSION COEFFICIENTS IN A HOST SUBSTRATE
- INVENTORS(S): Arthur Ballato, John A. Kosinski, Mitra Dutta, Hongen Shen, Yicheng Lu, Jagadeesh Pamulapati
- PATENT NO.: 5,381,260—Issued 01/10/95
- TITLE: MONOLITHIC
  PHOTOCONDUCTIVE BIPOLAR
  PULSAR UTILIZING A RADIAL
  TRANSMISSION LINE
- INVENTORS(S): Anderson H. Kim, Robert J. Youmans, Maurice Weiner, Lawrence E. Kingsley
- PATENT NO.: 5,382,788—Issued 01/17/95
- TITLE: FIELD AUGMENTED PERMANENT MAGNET STRUCTURES
- INVENTORS(S): Herbert A. Leupold, Anup Tilak
- PATEÑT NO.: 5,382,936—Issued 01/17/95
- TITLE: FEEDBACK CIRCUITRY FOR RECREATING CW COMPONENTS FROM CHIRP-Z PULSES
- INVENTORS(S): William J. Skudera, Jr. PATENT NO.: 5,383,222—Issued 01/17/95
- TITLE: VOLTAGE-TUNABLE, MULTICOLOR INFRARED DETECTORS

INVENTORS(S): Kwong-Kit Choi PATENT NO.: 5,384,469—Issued 01/24/ 95

TITLE: SEQUENTIAL CIRCUITRY FOR RECREATING CW COMPONENTS FROM CHIRP-Z PULSES

INVENTOR(S): William J. Skudera, Jr. PATENT NO.: 5,384,545—Issued 01/24/ 95

TITLE: HIGH TeSUPERCONDUCTING MICROSTRIP PHASE SHIFTER HAVING TAPERED OPTICAL BEAM PATTERN REGIONS

INVENTOR(S): Erik H. Lenzing, Charles D. Hechtman

PATENT NO.: 5,385,883—Issued 01/31/95

TITLE: POLARIZATION-SENSITIVE SHEAR WAVE TRANSDUCER INVENTOR(S): John A. Kosinski PATENT NO.: 5,386,168—Issued 01/31/ 95

TITLE: OPTICAL MODULATOR BASED ON PIEZOELECTRICALLY DRIVEN ANISOTROPIC OPTICAL ABSORPTION

INVENTOR(S): Gerald J. Iafrate, Mitra Dutta, Hongen Shen, Michael A. Stroscio, Arthur Ballato

PATENT NO.: 5,387,997—Issued 02/07/

TITLE: MODIFIED CHIRP-Z PULSE DETECTOR

INVENTOR(S): William J. Skudera, Jr. PATENT NO.: 5,388,121—Issued 02/07/95

TITLE: LIGHT-WEIGHT MAGNETIC FIELD SOURCES HAVING DISTORTION-FREE ACCESS PORTS INVENTOR(S): Herbert A. Leupold

PATENT NO.: 5,396,209—Issued 03/07/ 95

TITLE: METHOD OF FORMING AN IMPROVED TAPERED WAVEGUIDE BY SELECTIVELY IRRADIATING A VISCOUS ADHESIVE RESIN PREPOLYMER WITH ULTRAVIOLET LIGHT

INVENTOR(S): Steven A. Malone, Arthur Paolella, Dana J. Sturzebecher PATENT NO.: 5,402,511—Issued 03/28/ 95

# FOR FURTHER INFORMATION OR COPIES OF THE PATENTS LISTED, CONTACT: Mr.

William H. Anderson, United States Army Communications-Electronics Command, ATTN: AMSEL-LG-L, Fort Monmouth, New Jersey 07703–5010, or phone (908) 532–4112.

# Gregory D. Showalter,

Army Federal Register Liaison Officer. [FR Doc. 95–11571 Filed 5–10–95; 8:45 am] BILLING CODE 3710–08–P

## **Corps of Engineers**

# Availability of Patent Applications for Exclusive, Partially Exclusive, or Nonexclusive Licenses

**AGENCY:** Department of the Army, DOD. **ACTION:** Notice of availability.

SUMMARY: In accordance with 37 CFR 404.7(a)(1)(i), the Department of the Army, U.S. Army Corps of Engineers announces the general availability of technology for licensing (U.S. and foreign patents pending). Foreign patents applied for include Japan, South Korea, South Africa, Taiwan, Mexico, Indonesia, Malaysia, U.K. including Hong Kong, Spain, Portugal, Sweden, Ireland, Finland, Norway, The Netherlands, Belgium, Denmark, Germany, France, Canada, Australia, Brazil, New Zealand, China, Russia, and Israel.

**DATES:** Proposals for an exclusive or partially exclusive license must be submitted within 120 days after the publication of this notice.

FOR FURTHER INFORMATION CONTACT: Mr. Phillip Stewart, ATTN: CEWES-FV-C, (601) 634–4113, fax (601) 634–4180, Internet stewarp@exl.wes.army.mil or, for technical information, Mr. C. E. Chatham, ATTN: CEWES-CW, (601) 634–2460, FAX (601) 634–3433, Internet chatham@coafsl.wes.army.mil, U.S. Army Engineer Waterways Experiment Station, 3909 Halls Ferry Road, Vicksburg, MS 39180–6199.

SUPPLEMENTARY INFORMATION: This technology concerns a concrete armor unit for protecting coastal structures and shoreline embankments from erosion caused by waves and currents. The object of the invention is to provide a concrete block which, when placed in an interlocking matrix, has superior stability, strength, and wave energy dissipation and exhibits improved economics through reduced armor layer thickness and increased armor layer porosity. The CORE-LOC shape is composed of three members of generally octagonal shape, symmetrically tapered toward the outer ends. The three members are configures in an "H" pattern such that two outer members are parallel and the third member is perpendicular and midway between the two outer members. The units interlock when placed randomly on a rubble slope to form an armor layer matrix. The shape of the unit is such that it will, in general, not require steel reinforcement. A large number of model tests of rubble mound structures armored with CORE-LOC have been conducted at the U.S. **Army Engineer Waterways Experiment** Station. The units have demonstrated

significantly superior stability and improved strength over existing armor shapes. The unit has also been proportioned to interlock with an existing armor unit for repair. Model tests have shown that the repaired sections are more stable than the original sections. The units are significantly more economical than all existing randomly-placed armor units currently available.

Each interested party is requested to submit an application for a license containing the information described in 37 CFR 404.8 for any one or combination of countries of interest within 120 days of publications of this notice in the **Federal Register.** The applications for licensing the armor unit technology will be evaluated using the following criteria:

1. Demonstrated ability to manufacture and/or market the armor unit technology.

2. Presentation of applicants plan to manufacture and/or market the armor unit technology.

3. Technical capability including expertise in the areas of engineering of coastal structures and/or marine heavy construction.

4. Time required to bring item to market.

5. License fee (annual fee that license is willing to pay for x number of years—royalty payments will be negotiated separately).

6. Country of origin, with preference given to U.S.-based company.

7. Small Business advantage for U.S.

#### Gregory D. Showalter,

Army Federal Register Liaison Officer. [FR Doc. 95–11643 Filed 5–10–95; 8:45 am] BILLING CODE 3710–08–M

# **DEPARTMENT OF ENERGY**

Change in Location of Southport, North Carolina, Public Hearing for the Draft Environmental Impact Statement on a Proposed Nuclear Weapons Nonproliferation Policy Concerning Foreign Research Reactor Spent Nuclear Fuel

**AGENCY:** Department of Energy. **ACTION:** Change in Location of Southport, North Carolina, Public Hearing.

**SUMMARY:** The Department of Energy public hearing in Southport, North Carolina, on May 23, 1995, will be held in the Southport City Hall, 201 East Moore Street, Southport, North Carolina, 28461, (910) 457–7900. The public hearing will be held from 6:00